

Notice of Allowability	Application No.	Applicant(s)
	09/939,626	TAMAKI ET AL.
	Examiner Mark R. Milia	Art Unit 2625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment received on 9/16/06.
2. The allowed claim(s) is/are 1-8.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.


TWYLER LAMB
SUPERVISORY PATENT EXAMINER

DETAILED ACTION

Response to Amendment

1. Applicant's amendment was received on 9/16/06 and has been entered and made of record. Currently, claims 1-8 are pending.

Allowable Subject Matter

2. Claims 1-8 are allowed.
3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose, teach, or suggest the claimed limitations of (in combination with all other limitations in the claims), a plurality of light beams belonging to associated beam subsets that are synchronously modulated by a single image signal for a single pixel so that each pixel on the recording medium is recorded by a single beam subset, wherein the power density for recording each pixel is increased in response to the square of the number N, as set forth in claims 1 and 6.

The closest prior art, previously noted as Imakawa (US 5392060), discloses an image recorder optically scanning an image recording medium in a main scanning direction and a subscanning direction for recording an image on said image recording medium, comprising a light source emitting a first light beam, a spatial light modulator dividing said first light beam into a plurality of second light beams arranged at least in

said subscanning direction while modulating said plurality of second light beams in response to image signals, a focusing optical system for focusing said plurality of second light beams on a recording medium, and a main scanning system for scanning said recording medium with said plurality of second light beams in said main scanning direction, wherein said plurality of second light beams constitute a plurality of beam subsets, and each beam subset consists of N adjacent light beams in said subscanning direction, where the number N is an integer of at least two. However, Imakawa fails to disclose a plurality of light beams belonging to associated beam subsets that are synchronously modulated by a single image signal for a single pixel so that each pixel on the recording medium is recorded by a single beam subset, wherein the power density for recording each pixel is increased in response to the square of the number N .

Therefore, for these reasons, claims 1-8 are rendered allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark R. Milia whose telephone number is (571) 272-7408. The examiner can normally be reached M-F 8:00am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler M. Lamb can be reached at (571) 272-7406. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mark R. Milia
Examiner
Art Unit 2625

MRM


TWYLER LAMB
SUPERVISORY PATENT EXAMINER
